

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7
う 歯総歯数	H3	1,386	3,619	5,867	7,583	10,333	12,014	14,169	16,877	19,841	27,351	30,656	34,868
	H4	1,105	3,758	5,568	7,879	9,730	12,753	15,256	18,920	23,218	27,819	30,775	34,976
	H5	1,139	3,059	5,729	7,551	9,415	11,906	14,397	17,810	21,447	29,803	32,356	35,236
	H6	795	2,482	4,332	6,044	7,655	9,369	10,344	14,498	15,248	24,072	23,763	26,387
	H7	779	2,046	3,777	5,282	6,929	8,833	11,895	14,826	17,051	22,384	25,006	26,275
	H8	547	1,738	3,209	4,731	6,389	7,967	11,007	13,206	16,188	17,488	20,764	22,614
	H9	500	1,212	2,699	4,028	5,331	6,984	4,741	6,148	7,457	12,674	13,654	16,000
	H10	382	1,039	2,120	3,213	4,470	5,757	4,461	5,032	6,486	11,986	13,853	14,395
	H11	295	1,189	1,774	2,780	4,143	5,176	5,056	6,851	7,705	11,082	12,806	14,028
	H12	316	996	1,808	2,601	3,647	4,908	3,663	5,432	7,086	10,958	11,991	13,956
	H13	314	795	1,701	2,281	2,928	4,157	3,939	4,825	6,317	9,203	10,522	12,134
	H14	221	794	1,344	2,076	2,866	3,577	3,454	4,334	5,348	6,899	8,368	9,905
	H15	218	705	1,557	2,165	3,026	4,546	5,051	6,468	8,293	5,847	6,433	7,695
	H16	195	541	1,227	2,109	2,534	3,936	5,203	5,895	7,024	4,519	5,270	5,479
	H17	273	644	956	1,968	2,864	3,750	4,710	5,721	6,519	3,376	4,030	4,457
	H18	314	718	1,120	1,948	2,508	3,794	4,263	5,525	6,891	3,827	4,319	5,563
	H19	257	745	1,209	1,733	2,684	3,399	4,026	5,085	6,802	3,879	4,164	4,957
	H20	166	502	1,059	1,556	2,019	3,037	3,316	4,386	4,919	3,289	3,775	4,007
	H21	208	569	910	1,472	1,995	2,922	3,231	3,737	4,869	2,813	3,313	4,037
	H22	184	620	927	1,542	1,850	2,999	2,741	3,791	4,485	3,530	4,129	5,316
	H23	163	373	885	1,117	1,630	2,602	3,060	3,545	4,571	3,540	4,148	4,778
	H24	136	524	775	1,226	1,458	2,350	2,601	3,443	3,577	3,648	3,986	4,466
	H25	176	412	858	1,057	1,432	1,976	2,394	2,977	3,704	3,699	4,308	4,806
	H26	103	385	551	960	1,309	1,719	1,959	2,950	3,741	3,170	4,213	4,876
	H27	135	234	469	829	1,371	1,561	1,923	2,514	3,255	3,289	3,849	4,698
	H28	100	312	572	761	977	1,402	2,325	2,483	2,859	2,500	3,255	3,703
	H29	142	197	498	535	889	1,014	1,964	1,555	1,821	3,561	4,002	4,974
	H30	95	215	367	596	761	902	1,466	1,466	1,846	3,583	4,277	4,670
	R1	109	214	433	481	696	814	1,625	1,304	1,824	3,414	3,998	4,225
	R2	96	176	353	483	525	792	1,472	1,461	1,599	2,097	2,689	3,503
	R3	102	244	372	517	501	687	1,440	1,241	1,554	2,298	3,082	3,572
	R4	33	116	160	323	603	698	1,309	1,124	1,295	2,007	2,382	3,226
	R5	33	116	160	323	603	698	1,309	1,124	1,295	2,007	2,382	3,226
	R6	48	112	188	262	509	671	1,264	1,153	1,504	2,177	2,471	2,661
	R7	42	134	171	275	455	482	1,275	932	1,231	2,142	2,407	2,458
健全歯数	H3	12,714	25,463	32,469	42,038	56,149	68,513	64,488	64,636	62,783	76,849	73,919	70,101
	H4	12,709	24,565	33,591	41,504	53,423	66,425	72,640	77,834	77,054	75,723	74,793	72,091
	H5	12,727	23,448	31,441	41,319	51,831	62,419	75,102	77,163	81,337	79,454	73,787	75,645
	H6	10,362	20,137	26,210	34,433	45,314	52,153	52,328	54,916	54,561	64,382	57,795	55,619
	H7	10,985	20,684	28,184	36,328	46,012	57,166	63,556	63,268	67,386	77,673	76,110	70,983
	H8	9,632	19,605	25,743	34,230	44,452	53,055	62,207	63,621	61,789	59,603	56,826	55,562
	H9	8,910	16,909	22,607	29,476	37,941	46,348	29,335	30,375	29,720	42,152	40,028	39,461
	H10	9,124	16,842	22,205	28,688	37,861	45,405	29,042	29,589	30,081	45,428	40,901	38,993
	H11	9,628	18,819	23,847	29,744	39,677	48,474	36,965	37,419	37,742	46,448	42,057	39,230
	H12	9,207	17,767	23,439	28,572	35,764	46,537	32,966	35,121	33,965	51,860	50,755	45,073
	H13	9,365	17,089	22,778	29,454	34,982	42,677	37,865	41,099	41,482	47,311	45,377	44,863
	H14	7,929	16,531	20,488	25,659	33,684	39,606	35,243	35,763	38,288	44,163	41,269	39,301
	H15	10,378	19,599	28,267	32,334	42,890	50,310	55,877	60,748	62,954	39,205	36,923	33,944
	H16	10,992	19,951	25,695	34,755	41,624	51,145	56,743	56,483	60,043	33,496	30,487	29,107
	H17	10,366	21,458	27,177	32,827	44,873	51,284	60,727	61,925	60,663	28,025	26,273	25,023
	H18	11,499	21,776	29,126	34,506	43,610	56,269	60,481	65,385	64,413	32,200	30,327	29,787
	H19	10,844	21,678	28,181	35,273	42,572	51,135	62,293	61,009	65,036	38,800	34,833	34,554
	H20	10,533	21,080	28,649	34,745	44,228	52,423	57,917	65,243	62,353	35,670	32,975	30,753
	H21	10,849	20,327	27,569	34,850	43,625	53,368	59,159	59,917	65,040	32,048	32,259	30,427
	H22	10,624	21,130	27,281	34,882	46,493	54,137	63,597	63,373	63,061	46,470	43,535	45,018
	H23	10,427	20,613	27,258	32,864	44,517	55,618	61,079	65,042	63,201	47,080	44,420	42,429
	H24	10,116	20,323	26,762	33,329	42,355	53,279	62,296	63,652	65,550	46,026	44,877	42,496
	H25	10,672	20,152	25,917	33,099	42,216	51,470	59,592	64,491	63,662	48,437	44,700	43,952
	H26	10,537	20,332	25,978	31,847	41,586	50,806	58,001	62,033	64,032	49,503	48,212	45,899
	H27	10,508	20,731	26,812	32,153	40,206	50,717	56,629	60,060	62,494	56,741	51,686	51,311
	H28	10,365	20,250	26,769	32,848	40,744	48,636	56,358	58,418	60,712	44,544	45,353	42,095
	H29	7,719	15,623	22,043	27,146	35,284	38,055	54,292	37,072	37,027	54,168	52,757	54,827
	H30	7,630	16,434	21,732	26,949	34,978	39,635	54,900	35,755	37,566	52,588	51,395	50,632
	R1	7,471	15,746	22,039	26,212	34,686	38,499	55,517	36,056	36,370	52,337	50,694	49,540
	R2	9,046	16,832	23,240	28,700	35,641	41,614	55,413	38,128	35,477	45,323	45,585	45,603
	R3	7,212	16,369	21,367	26,931	35,351	38,701	54,393	36,763	38,289	50,335	49,215	49,119</

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7
罹患者率	H3	32.11	51.83	69.72	78.45	85.81	86.22	86.31	85.64	85.96	94.74	97.16	97.45
	H4	25.36	52.29	64.25	79.28	84.22	87.69	90.61	91.45	93.86	95.42	95.95	97.25
	H5	27.25	48.93	68.63	76.09	83.11	85.70	89.81	91.92	91.95	92.94	91.02	94.25
	H6	22.07	45.09	61.39	72.33	76.53	82.57	88.81	90.52	92.25	93.00	94.73	97.18
	H7	20.60	39.22	59.02	68.50	77.28	80.70	88.22	91.10	91.29	92.58	93.94	94.62
	H8	16.37	35.76	53.25	66.30	75.39	81.36	87.25	89.92	91.17	93.00	95.40	95.61
	H9	16.41	30.20	52.60	66.70	74.59	82.10	84.80	88.77	91.82	92.27	93.09	95.26
	H10	16.43	26.10	44.73	57.65	67.44	73.70	84.80	84.00	91.08	91.75	93.71	94.14
	H11	10.46	25.65	37.91	49.55	59.47	65.78	75.60	86.53	86.02	87.41	91.91	92.85
	H12	9.88	25.70	39.18	48.60	59.20	64.47	70.45	79.63	87.13	84.31	85.07	90.12
	H13	9.93	21.88	37.67	45.90	53.62	62.49	66.10	69.86	75.62	82.77	88.14	89.47
	H14	11.26	23.54	35.20	47.58	55.65	61.63	63.01	66.89	74.83	79.88	84.20	88.47
	H15	6.32	17.00	29.82	39.62	46.84	59.66	61.05	66.42	73.39	77.20	80.53	85.63
	H16	5.36	14.22	24.80	36.15	42.92	54.20	61.62	63.93	67.10	70.98	79.58	82.14
	H17	6.28	14.40	22.00	35.79	43.18	52.06	56.87	63.04	65.65	66.20	74.65	79.56
	H18	7.22	15.15	23.26	34.47	41.47	48.32	53.27	57.23	64.04	65.07	69.60	75.85
	H19	6.32	15.83	23.91	31.43	42.64	47.54	50.02	56.65	62.48	58.50	62.98	64.11
	H20	4.64	12.16	21.51	29.21	34.96	44.64	46.28	50.52	54.34	59.89	65.10	68.04
	H21	5.38	13.20	18.99	27.92	35.11	41.53	46.89	49.39	53.77	57.99	62.19	67.89
	H22	4.73	13.98	19.25	27.39	31.93	41.20	39.15	49.92	51.77	52.88	58.46	65.66
	H23	4.60	8.81	19.24	23.64	29.07	37.36	42.19	42.81	52.73	53.03	59.91	61.02
	H24	3.58	12.42	16.55	24.11	28.89	35.67	37.53	42.71	44.37	54.42	54.52	61.05
	H25	4.36	9.81	19.05	21.18	27.17	34.49	35.71	39.40	46.71	48.80	57.44	58.83
	H26	3.29	9.99	14.21	21.43	25.21	30.35	31.57	38.22	45.16	50.37	54.61	61.34
	H27	3.56	6.48	11.48	19.51	27.77	29.09	30.92	35.77	42.06	45.54	53.81	55.13
	H28	2.61	8.01	13.62	17.24	21.26	28.39	36.22	35.72	39.54	38.74	45.76	49.85
	H29	3.84	5.42	11.52	12.78	18.58	22.13	30.09	32.27	32.06	45.31	49.65	54.14
	H30	4.17	7.61	11.03	16.27	18.99	22.76	29.63	36.57	41.67	44.89	48.77	53.26
	R1	4.43	8.17	12.52	14.18	18.29	21.55	26.51	31.18	37.82	41.29	45.71	46.70
	R2	3.81	5.70	10.18	12.65	14.07	19.30	27.59	31.97	35.33	39.69	43.43	50.00
	R3	3.89	6.55	10.71	15.15	14.26	19.24	26.88	31.29	34.85	37.00	43.77	47.34
	R4	1.78	4.98	5.95	9.51	14.78	18.54	24.00	28.64	32.75	38.51	40.47	47.30
	R5	2.33	4.48	7.21	8.20	13.84	17.81	22.59	26.80	31.35	37.01	38.64	41.28
	R6	2.39	4.87	7.56	10.19	13.45	15.00	24.87	27.55	30.05	33.15	39.96	41.43
	R7	1.76	5.50	6.71	10.88	11.74	13.05	22.43	27.42	31.55	30.93	35.06	37.78
健全者率	H3	67.89	48.17	30.28	21.55	14.19	13.78	13.69	14.36	14.04	5.26	2.84	2.55
	H4	74.64	47.71	35.75	20.72	15.78	12.31	9.39	8.55	6.14	4.58	4.05	2.75
	H5	72.75	51.07	31.37	23.91	16.89	14.30	10.19	8.08	8.05	7.06	8.98	5.75
	H6	77.93	54.91	38.61	27.67	23.47	17.43	11.19	9.48	7.75	7.00	5.27	2.82
	H7	79.40	60.78	40.98	31.50	22.72	19.30	11.78	8.90	8.71	7.42	6.06	5.38
	H8	83.63	64.24	46.75	33.70	24.61	18.64	12.75	10.08	8.83	7.00	4.60	4.39
	H9	83.59	69.80	47.40	33.30	25.41	17.90	15.20	11.23	8.18	7.73	6.91	4.74
	H10	83.57	73.90	55.27	42.35	32.56	26.30	15.20	16.00	8.92	8.25	6.29	5.86
	H11	89.54	74.35	62.09	50.45	40.53	34.22	24.40	13.47	13.98	12.59	8.09	7.15
	H12	90.12	74.30	60.82	51.40	40.80	35.53	29.55	20.37	12.87	15.69	14.93	9.88
	H13	90.07	78.13	62.33	54.10	46.38	37.51	33.90	30.14	24.38	17.23	11.86	10.53
	H14	88.74	76.46	64.80	52.42	44.35	38.37	36.99	33.11	25.17	20.12	15.80	11.53
	H15	93.68	83.00	70.18	60.38	53.16	40.34	38.95	33.58	26.61	22.80	19.47	14.37
	H16	94.64	85.78	75.20	63.85	57.08	45.80	38.38	36.07	32.90	29.02	20.42	17.86
	H17	93.72	85.60	78.00	64.21	56.82	47.94	43.13	36.96	34.35	33.80	25.35	20.44
	H18	92.78	84.85	76.74	65.53	58.53	51.68	46.73	42.77	35.96	34.93	30.40	24.15
	H19	93.68	84.17	76.09	68.57	57.36	52.46	49.98	43.35	37.52	41.50	37.02	35.89
	H20	95.36	87.84	78.49	70.79	65.04	55.36	53.72	49.48	45.66	40.11	34.90	31.96
	H21	94.62	86.80	81.01	72.08	64.89	58.47	53.11	50.61	46.23	42.01	37.81	32.11
	H22	95.27	86.02	80.75	72.61	68.07	58.80	60.85	50.08	48.23	47.12	41.54	34.34
	H23	95.40	91.19	80.76	76.36	70.93	62.64	57.81	57.19	47.27	46.97	40.09	38.98
	H24	96.42	87.58	83.45	75.89	71.11	64.33	62.47	57.29	55.63	45.58	45.48	38.95
	H25	95.64	90.19	80.95	78.82	72.83	65.51	64.29	60.60	53.29	51.20	42.56	41.17
	H26	96.71	90.01	85.79	78.57	74.79	69.65	68.43	61.78	54.84	49.63	45.39	38.66
	H27	96.44	93.52	88.52	80.49	72.23	70.91	69.08	64.23	57.94	54.46	46.19	44.87
	H28	97.39	91.99	86.38	82.76	78.74	71.61	63.78	64.28	60.46	61.26	54.24	50.15
	H29	96.16	94.58	88.48	87.22	81.42	77.87	69.91	67.73	67.94	54.69	50.35	45.86
	H30	95.83	92.39	88.97	83.73	81.01	77.24	70.37	63.43	58.33	55.11	51.23	46.74
	R1	95.57	91.83	87.48	85.82	81.71	78.45	73.49	68.82	62.18	58.71	54.29	53.30
	R2	96.19	94.30	89.82	87.35	85.93	80.70	72.41	68.03	64.67	60.31	56.57	50.00
	R3	96.11	93.45	89.29	84.85	85.74	80.76	73.12	68.71	65.15	63.00	56.23	52.66
	R4	98.22	95.02	94.05	90.49	85.22	81.46	76.00	71.36	67.25	61.49	59.53	52.70
	R5	97.67	95.52	92.79	91.80	86.16	82.19	77.41	73.20	68.65	62.99	61.36	58.72
	R6	97.61	95.13	92.44	89.81	86.55	85.00	75.13	72.45	69.95	66.85	60.04	58.57
	R7	98.24	94.50	93.29	89.12	88.26	86.95	77.57	72.58	68.45	69.07	64.94	62.22
平均C0歯数	H20	0.10	0.16	0.20	0.35	0.39	0.54	0.39	0.48	0.57			
	H21	0.09	0.18	0.27	0.42	0.41	0.53	0.43	0.59	0.74	0.53	0.50	0.60
	H22	0.08	0.20	0.26	0.29	0.38	0.50	0.45	0.58	0.63	0.57	0.61	0.62
	H23	0.08	0.20	0.26	0.29	0.31	0.41	0.38	0.57	0.68	0.70	0.65	0.77
	H24	0.05	0.15	0.24	0.31	0.36	0.41	0.40	0.49	0.59	0.58	0.62	0.62
	H25	0.07	0.16	0.20	0.28	0.37	0.42	0.42	0.47	0.54	0.70	0.83	0.92
	H26	0.08	0.17	0.24	0.29	0.33	0.47	0.35	0.57	0.57	0.58	0.65	0.74
	H27	0.08	0.18	0.24	0.32	0.28	0.39	0.45	0.60	0.78	0.55	0.56	0.65
	H28	0.06	0.14	0.25	0.29	0.30	0.41	0.45	0.63	0.66	0.64	0.69	0.67
	H29	0.05	0.16	0.19	0.25	0.32	0.43	0.41	0.47	0.70	0.56	0.62	0.63
	H30	0.08	0.16	0.23	0.26	0.29	0.39	0.42	0.53	0.70	0.58	0.56	0.64
	R1	0.06	0.13	0.19	0.24	0.26	0.31	0.59	0.64	0.62	0.55	0.48	0.60
	R2	0.04	0.11	0.17	0.21	0.21	0.30	0.41	0.56	0.59	0.54	0.64	0.44
	R3	0.06	0.13	0.19	0.21	0.21	0.29	0.39	0.51	0.60	0.37	0.45	0.50
	R4	0.05	0.12	0.16	0.19	0.20	0.30	0.40	0.45	0.55	0.39	0.45	0.47
	R5	0.05	0.11	0.14	0.14	0.17	0.23	0.42	0.42	0.61	0.39	0.35	0.37
	R6	0.05	0.09	0.14	0.18	0.20	0.24	0.33	0.42	0.47	0.42	0.41	0.43
	R7	0.07	0.10	0.14	0.18	0.20	0.18	0.30	0.35	0.55	0.30	0.37	0.39

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7
平均う歯数	H3	0.54	1.13	1.84	2.35	3.02	3.46	4.59	5.57	6.59	7.35	8.20	9.47
	H4	0.43	1.23	1.73	2.44	3.00	3.72	4.42	5.19	6.31	7.46	8.14	9.15
	H5	0.44	1.06	1.86	2.34	2.93	3.69	4.24	5.22	5.99	7.54	8.45	8.84
	H6	0.38	1.01	1.73	2.30	2.78	3.47	4.22	5.70	5.97	7.83	8.19	9.17
	H7	0.38	0.87	1.51	2.06	2.64	3.16	4.10	5.22	5.71	6.41	7.15	7.85
	H8	0.29	0.76	1.35	1.90	2.52	3.05	3.91	4.70	5.83	6.31	7.46	7.94
	H9	0.30	0.60	1.28	1.81	2.37	2.99	3.50	4.40	5.40	6.28	6.98	7.90
	H10	0.22	0.52	1.03	1.50	2.03	2.57	3.42	3.95	4.94	5.78	6.97	7.47
	H11	0.16	0.55	0.83	1.26	1.80	2.22	3.05	4.17	4.68	5.28	6.40	7.22
	H12	0.18	0.48	0.86	1.26	1.72	2.17	2.55	3.60	4.75	4.81	5.28	6.53
	H13	0.17	0.40	0.83	1.08	1.43	1.99	2.41	2.84	3.62	4.54	5.27	5.95
	H14	0.14	0.41	0.72	1.10	1.49	1.85	2.26	2.91	3.37	3.77	4.71	5.60
	H15	0.10	0.31	0.62	0.92	1.23	1.89	2.13	2.61	3.20	3.62	4.15	5.19
	H16	0.08	0.23	0.54	0.84	1.07	1.61	2.14	2.53	2.88	3.32	4.12	4.45
	H17	0.11	0.26	0.40	0.83	1.12	1.54	1.83	2.28	2.68	2.98	3.71	4.24
	H18	0.12	0.29	0.44	0.78	1.02	1.44	1.68	2.09	2.64	2.96	3.48	4.40
	H19	0.11	0.29	0.49	0.69	1.09	1.41	1.55	2.07	2.61	2.54	2.99	3.52
	H20	0.07	0.21	0.42	0.63	0.82	1.23	1.37	1.69	2.02	2.35	2.86	3.23
	H21	0.09	0.25	0.38	0.59	0.81	1.17	1.31	1.58	1.92	2.25	2.60	3.28
	H22	0.08	0.26	0.39	0.62	0.71	1.18	1.06	1.52	1.83	1.97	2.42	2.96
	H23	0.07	0.16	0.38	0.47	0.66	1.01	1.21	1.39	1.86	1.95	2.38	2.84
	H24	0.06	0.23	0.33	0.52	0.61	0.95	1.02	1.38	1.43	2.04	2.28	2.66
	H25	0.08	0.18	0.38	0.45	0.61	0.83	0.98	1.19	1.51	1.98	2.45	2.76
	H26	0.04	0.17	0.24	0.43	0.56	0.74	0.83	1.22	1.52	1.68	2.24	2.69
	H27	0.06	0.10	0.20	0.37	0.61	0.68	0.83	1.08	1.36	1.53	1.94	2.35
	H28	0.04	0.14	0.25	0.33	0.43	0.63	1.01	1.10	1.24	1.48	1.86	2.26
	H29	0.09	0.11	0.26	0.28	0.46	0.58	0.89	1.08	1.29	1.71	1.99	2.33
	H30	0.06	0.12	0.20	0.31	0.40	0.51	0.66	1.06	1.29	1.78	2.14	2.34
	R1	0.07	0.12	0.23	0.26	0.36	0.47	0.72	0.94	1.31	1.70	2.04	2.19
	R2	0.06	0.10	0.18	0.25	0.28	0.43	0.67	0.99	1.18	1.25	1.58	1.96
	R3	0.07	0.14	0.20	0.28	0.27	0.40	0.65	0.88	1.07	1.22	1.66	1.90
	R4	0.02	0.07	0.09	0.18	0.32	0.40	0.60	0.78	0.95	1.06	1.32	1.78
	R5	0.02	0.07	0.09	0.18	0.32	0.39	0.60	0.83	0.94	1.04	1.31	1.84
	R6	0.04	0.07	0.12	0.16	0.29	0.39	0.60	0.86	1.11	1.07	1.26	1.37
	R7	0.04	0.09	0.10	0.16	0.28	0.27	0.61	0.71	0.94	1.05	1.22	1.28
う歯罹患率	H3	9.83	12.44	15.30	15.28	15.54	14.92	18.01	20.70	24.01	26.25	29.31	33.22
	H4	8.00	13.27	14.22	15.95	15.41	16.11	17.36	19.55	23.16	26.87	29.15	32.67
	H5	8.21	11.54	15.41	15.45	15.37	16.02	16.09	18.75	20.87	27.28	30.48	31.78
	H6	7.13	10.97	14.18	14.93	14.45	15.23	16.50	20.89	21.84	27.21	29.14	32.18
	H7	6.62	9.00	11.82	12.69	13.09	13.38	15.77	18.98	20.19	22.37	24.73	27.02
	H8	5.37	8.14	11.08	12.14	12.57	13.06	15.03	17.19	20.76	22.68	26.76	28.93
	H9	5.31	6.69	10.67	12.02	12.32	13.10	13.91	16.83	20.06	23.12	25.43	28.85
	H10	4.02	5.81	8.72	10.07	10.56	11.25	13.32	14.53	17.74	20.88	25.30	26.96
	H11	2.97	5.94	6.92	8.55	9.45	9.65	12.03	15.48	16.95	19.26	23.34	26.34
	H12	3.32	5.31	7.16	8.34	9.25	9.54	10.00	13.39	17.26	17.44	19.11	23.64
	H13	3.24	4.45	6.95	7.19	7.72	8.88	9.42	10.51	13.22	16.28	18.82	21.29
	H14	2.71	4.58	6.16	7.49	7.84	8.28	8.93	10.81	12.26	13.51	16.86	20.13
	H15	2.06	3.47	5.22	6.28	6.59	8.29	8.29	9.62	11.64	12.98	14.84	18.48
	H16	1.74	2.64	4.56	5.72	5.74	7.15	8.40	9.45	10.47	11.89	14.74	15.84
	H17	2.57	2.91	3.40	5.66	6.00	6.81	7.20	8.46	9.70	10.75	13.30	15.12
	H18	2.66	3.19	3.70	5.34	5.44	6.32	6.58	7.79	9.66	10.62	12.47	15.74
	H19	2.32	3.32	4.11	4.68	5.93	6.23	6.07	7.69	9.47	9.09	10.68	12.55
	H20	1.55	2.33	3.56	4.29	4.37	5.48	5.42	6.30	7.31	8.44	10.27	11.53
	H21	1.88	2.72	3.20	4.05	4.37	5.19	5.18	5.87	6.96	8.07	9.31	11.71
	H22	1.70	2.85	3.29	4.23	3.83	5.25	4.13	5.64	6.64	7.06	8.66	10.56
	H23	1.54	1.78	3.14	3.29	3.53	4.47	4.77	5.17	6.74	6.99	8.54	10.12
	H24	1.33	2.51	2.81	3.55	3.33	4.22	4.01	5.13	5.17	7.34	8.16	9.51
	H25	1.62	2.00	3.20	3.09	3.28	3.70	3.86	4.41	5.50	7.09	8.79	9.86
	H26	0.97	1.86	2.08	2.93	3.05	3.27	3.27	4.54	5.52	6.02	8.04	9.60
	H27	1.27	1.12	1.72	2.51	3.30	2.99	3.28	4.02	4.95	5.48	6.93	8.39
	H28	0.96	1.52	2.09	2.26	2.34	2.80	3.96	4.08	4.50	5.31	6.70	8.09
	H29	1.81	1.25	2.21	1.93	2.46	2.60	3.49	4.03	4.69	6.17	7.05	8.32
	H30	1.23	1.29	1.66	2.16	2.13	2.23	2.60	3.94	4.68	6.38	7.68	8.44
	R1	1.44	1.34	1.93	1.80	1.97	2.07	2.84	3.49	4.78	6.12	7.31	7.86
	R2	1.05	1.03	1.50	1.66	1.45	1.87	2.59	3.69	4.31	4.42	5.57	7.13
	R3	1.39	1.47	1.71	1.88	1.40	1.74	2.58	3.27	3.90	4.37	5.89	6.78
	R4	0.43	0.78	0.76	1.20	1.70	1.78	2.38	2.83	3.38	3.78	4.69	6.33
	R5	0.44	0.74	0.80	1.22	1.72	1.72	2.35	3.06	3.42	3.73	4.69	6.56
	R6	0.68	0.77	0.98	1.10	1.56	1.73	2.35	3.18	4.03	3.85	4.52	4.92
	R7	0.65	0.97	0.94	1.18	1.63	1.27	2.70	3.04	3.85	3.75	4.38	4.56
未処置歯率	H3	55.41	47.61	36.78	29.10	28.88	28.49	25.61	28.15	25.26	26.06	22.63	20.41
	H4	57.83	43.43	34.52	28.16	25.87	27.03	26.58	24.82	26.17	26.05	23.47	22.88
	H5	56.28	42.24	33.30	28.30	24.20	26.28	23.94	28.19	24.64	26.29	23.64	20.73
	H6	56.98	43.23	34.60	26.56								

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7
処置歯率	H3	44.59	52.31	63.22	70.84	70.85	71.32	74.11	71.43	74.35	72.52	75.85	78.31
	H4	42.17	56.47	65.39	71.79	74.00	72.78	72.75	74.67	73.21	72.66	75.24	75.88
	H5	43.72	57.76	66.63	71.67	75.71	73.53	75.60	71.27	74.88	72.26	75.15	77.99
	H6	43.02	56.77	65.33	73.31	69.46	74.11	75.53	76.47	73.03	75.38	75.39	76.56
	H7	49.55	56.94	62.59	70.79	70.93	71.53	72.63	70.73	73.44	77.14	76.68	80.42
	H8	51.55	52.01	63.91	69.39	73.58	74.09	70.60	70.95	73.15	77.69	78.50	80.99
	H9	53.80	60.23	65.21	72.52	74.60	76.69	70.03	71.73	70.73	77.88	77.66	81.31
	H10	52.62	56.40	60.90	65.05	72.42	72.40	73.80	68.48	73.51	74.40	77.62	79.32
	H11	55.59	53.24	56.60	64.39	65.87	70.09	68.26	71.38	72.55	78.10	75.61	80.91
	H12	54.75	49.50	50.61	60.40	62.54	65.48	71.72	69.83	71.97	77.92	81.51	80.73
	H13	47.13	53.21	64.43	61.25	65.03	67.55	66.26	64.99	68.36	78.43	77.96	81.09
	H14	46.61	48.49	47.92	57.95	54.54	64.61	63.32	59.99	67.69	79.11	81.93	81.42
	H15	48.17	52.34	49.20	56.81	65.90	61.17	67.23	68.15	65.53	79.24	80.32	81.26
	H16	47.69	46.95	56.64	54.15	59.27	63.64	64.71	67.04	65.16	77.36	80.83	80.36
	H17	45.79	56.37	48.33	58.94	61.31	62.13	56.65	63.52	64.92	70.32	74.49	79.13
	H18	55.73	45.26	49.46	53.70	53.35	57.62	60.40	56.49	63.11	72.33	75.16	75.71
	H19	47.86	55.44	55.33	52.22	54.81	58.78	57.97	52.33	59.81	70.07	73.66	73.67
	H20	50.60	49.80	54.86	60.41	64.49	65.49	64.99	61.17	61.82	74.67	73.77	75.04
	H21	48.08	48.68	55.71	60.94	57.14	67.21	62.24	67.33	66.44	71.21	73.38	77.51
	H22	50.54	56.94	59.44	57.78	62.81	62.79	64.61	63.97	68.67	72.41	75.32	76.69
	H23	59.51	52.01	52.99	58.91	60.61	68.64	66.37	63.33	65.83	66.81	70.20	69.95
	H24	61.03	59.54	57.42	65.74	66.53	67.23	64.67	62.39	67.49	67.74	69.54	70.91
	H25	61.93	60.19	62.24	65.28	68.30	69.38	54.97	65.40	65.58	70.59	73.28	72.26
	H26	63.11	57.92	63.34	66.88	64.63	64.17	59.98	54.34	67.17	72.21	74.77	75.78
	H27	55.56	54.27	62.47	69.36	71.19	68.67	61.99	58.35	63.16	75.37	74.31	73.41
	H28	60.00	59.29	66.78	62.42	68.78	70.47	61.76	67.14	65.90	79.44	79.78	78.48
	H29	57.75	67.51	68.27	71.03	65.80	68.93	63.65	69.65	64.58	69.25	74.01	77.40
	H30	38.95	66.05	69.48	72.32	71.22	76.83	66.30	65.08	66.31	75.86	76.46	77.56
	R1	62.39	54.21	68.13	71.10	66.38	71.87	68.86	66.18	71.77	69.86	69.13	73.63
	R2	81.25	59.66	77.34	75.36	71.05	75.25	70.99	67.21	64.42	60.18	67.31	65.23
	R3	76.47	86.07	77.42	73.89	74.05	80.93	67.15	62.29	67.89	67.36	67.20	66.99
	R4	66.67	56.90	75.00	78.95	75.79	83.95	73.26	66.81	66.25	66.62	65.70	66.18
	R5	70.83	74.11	70.21	71.76	70.73	77.20	70.33	73.81	65.16	62.66	66.69	70.01
	R6	0.25	0.33	0.37	0.51	0.59	0.56	1.33	1.01	1.50	1.92	2.10	2.58
	R7	0.18	0.45	0.46	0.57	0.44	0.53	1.26	1.00	1.23	1.90	2.43	2.62
喪失歯率	H3	0.00	0.08	0.00	0.05	0.27	0.19	0.29	0.42	0.39	1.42	1.52	1.28
	H4	0.00	0.11	0.09	0.05	0.13	0.19	0.67	0.51	0.62	1.29	1.28	1.24
	H5	0.00	0.00	0.07	0.03	0.10	0.19	0.46	0.54	0.48	1.45	1.21	1.28
	H6	0.00	0.00	0.07	0.13	0.17	0.07	0.48	0.48	0.97	1.13	1.29	1.13
	H7	0.00	0.00	0.05	0.25	0.14	0.22	1.13	0.49	0.71	1.22	1.17	1.40
	H8	0.00	0.06	0.06	0.17	0.23	0.34	0.25	0.77	0.66	1.22	1.16	0.98
	H9	0.00	0.08	0.07	0.15	0.15	0.34	0.36	0.39	0.83	1.17	1.46	1.21
	H10	0.00	0.29	0.00	0.09	0.29	0.38	0.18	0.38	0.51	1.14	0.90	1.48
	H11	0.00	0.08	0.06	0.00	0.02	0.12	0.61	0.60	0.88	0.85	1.23	0.66
	H12	0.00	0.00	0.00	0.04	0.25	0.22	0.25	0.61	0.61	1.33	1.29	1.02
	H13	0.00	0.00	0.00	0.31	0.07	0.07	0.84	0.79	1.33	1.12	1.83	1.02
	H14	0.45	0.13	0.00	0.29	0.45	0.28	0.96	0.85	0.67	1.03	1.09	1.10
	H15	0.92	0.43	0.19	0.28	0.20	0.24	0.69	0.97	0.89	1.16	1.37	2.01
	H16	0.00	0.00	0.24	0.14	0.32	0.38	0.83	1.14	0.84	1.57	1.52	1.90
	H17	0.00	0.31	0.31	0.25	0.21	0.19	0.76	0.80	1.10	2.07	1.69	1.79
	H18	0.00	0.14	0.00	0.05	0.20	0.21	0.63	0.90	1.07	1.99	1.85	1.74
	H19	0.00	0.13	0.25	0.12	0.26	0.59	0.45	0.55	1.00	2.14	1.61	2.30
	H20	0.00	0.20	0.09	0.32	0.30	0.43	0.30	0.39	1.38	1.40	1.59	1.92
	H21	0.00	0.18	1.10	0.07	0.45	0.21	0.15	0.62	0.51	2.60	1.90	2.25
	H22	0.00	0.00	0.00	0.13	0.11	0.30	0.15	0.40	0.60	1.98	2.49	2.46
	H23	0.00	0.00	0.45	0.00	0.37	0.08	0.23	0.48	0.37	3.11	2.51	3.22
	H24	2.21	0.00	0.52	0.08	0.00	0.17	0.73	0.87	0.92	2.36	2.33	1.88
	H25	0.00	0.00	0.00	0.19	0.00	0.20	0.42	0.64	1.13	2.57	1.53	2.10
	H26	0.00	1.30	0.00	0.10	0.15	0.47	1.48	0.47	0.99	2.21	1.42	1.31
	H27	0.00	0.00	0.21	0.48	0.07	0.19	1.14	0.56	0.55	1.85	2.03	1.98
	H28	0.00	0.64	0.70	0.00	0.20	0.00	1.03	1.01	0.70	1.32	1.11	2.13
	H29	0.00	0.00	0.00	0.00	0.00	0.00	0.71	0.51	1.26	2.19	2.07	1.53
	H30	0.00	0.00	0.00	0.00	0.00	0.22	0.07	0.27	0.60	1.65	1.89	1.20
	R1	0.00	0.47	0.00	0.00	0.00	0.25	0.00	0.08	0.22	1.44	1.18	1.49
	R2	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.06	2.38	2.05	1.83
	R3	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.06	2.26	3.21	3.11
	R4	0.00	0.00	0.00	0.00	0.00	0.14	0.38	0.18	0.46	2.94	2.90	3.16
	R5	0.00	0.00	0.00	0.00	0.00	0.15	0.40	0.26	0.07	4.78	2.51	2.78
	R6	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.02	0.10	0.19	0.14
	R7	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.02	0.14	0.11	0.17
平均生歯数	H3	5.47	9.11	12.02	15.36	19.45	23.17	25.46	26.90	27.42	27.99	27.98	28.50
	H4	5.36	9.28	12.15	15.27	19.50	23.10	25.48	26.52	27.26	27.75	27.92	28.02
	H5	5.41	9.19	12.10	15.17	19.05	23.01	26.36	27.82	28.72	27.65	27.72	27.82
	H6	5.34	9.18	12.23	15.43	19.21	22.77	25.59	27.30	27.33	28.78	28.09	28.50
	H7	5.69	9.70	12.78	16.22	20.14	23.59	26.00	27.48	28.30	28.67	28.91	29.07
	H8	5.46	9.35	12.22	15.68	20.09	23.35	26.01	27.36	28.10	27.80	27.87	27.45
	H9	5.68	8.96	11.96	15.02	19.26	22.84	25.15	26.13	26.92	27.18	27.46	27.37
	H10	5.39	8.90	11.76	14.84	19.20	22.81	25.71	27.15	27.87	27.70	27.56	27.69
	H11	5.21	9.23	12.01	14.76	18.99	22.98	25.38	26.98	27.63	27.43	27.40	27.41
	H12	5.44	9.01	12.01	15.04	18.59	22.73	25.53	26.91	27.51	27.60	27.63	27.64
	H13	5.31	9.01	11.98	15.05	18.55	22.46	25.54	27.03	27.36	27.89	27.98	27.93
	H14	5.15	8.96	11.75	14.73	18.96	22.36	25.29	26.93	27.53	27.92	27.92	27.80
	H15	4.65	8.94	11.87	14.65	18.70	22.79	25.74	27.16	27.48	27.91	27.95	28.10
	H16	4.76	8.86	11.82	14.74	18.66	22.55	25.43	26.78	27.48	27.93	27.98	28.07
	H17	4.43	8.97	11.81	14.72	18.72	22.63	25.45	26.97	27.57	27.71	27.93	28.02
	H18	4.66	8.94	11.95	14.66	18.82	22.73	25.47	26.79	27.36	27.84	27.94	27.99
	H19	4.62	8.87	11.89	14.78	18.40	22.56	25.58	26.90	27.59	27.89	27.97	28.02
	H20	4.68	8.96	11.81	14.68	18.67	22.53	25.32	26.87	27.57	27.81	27.88	28.05
	H21	4.83	9.01	11.86	14.63	18.58	22.61	25.35	26.87	27.60	27.84	27.97	28.02
	H22	4.78	9.24	11.83	14.67	18.64	22.50	25.56	26.91	27.51	27.92	27.89	28.

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7
平均健全歯数	H3	4.93	7.97	10.18	13.01	16.43	19.72	20.87	21.33	20.84	20.64	19.78	19.03
	H4	4.94	8.05	10.43	12.83	16.49	19.38	21.06	21.34	20.94	20.30	19.78	18.87
	H5	4.96	8.13	10.23	12.83	16.12	19.32	22.12	22.60	22.73	20.11	19.27	18.98
	H6	4.96	8.17	10.50	13.12	16.44	19.30	21.37	21.59	21.36	20.95	19.91	19.33
	H7	5.31	8.83	11.27	14.16	17.51	20.43	21.90	22.26	22.58	22.26	21.76	21.21
	H8	5.17	8.59	10.86	13.78	17.56	20.30	22.10	22.66	22.27	21.49	20.41	19.51
	H9	5.37	8.36	10.68	13.21	16.89	19.85	21.65	21.73	21.52	20.90	20.47	19.48
	H10	5.17	8.39	10.74	13.35	17.17	20.24	22.29	23.21	22.93	21.91	20.58	20.22
	H11	5.06	8.68	11.17	13.50	17.20	20.76	22.32	22.80	22.94	22.15	21.01	20.19
	H12	5.26	8.53	11.15	13.79	16.87	20.56	22.97	23.31	22.76	22.79	22.35	21.10
	H13	5.14	8.61	11.14	13.97	17.11	20.47	23.13	24.19	23.74	23.35	22.71	21.98
	H14	5.02	8.55	11.03	13.63	17.47	20.51	23.03	24.02	24.16	24.15	23.21	22.20
	H15	4.55	8.63	11.25	13.73	17.47	20.90	23.61	24.54	24.28	24.29	23.81	22.90
	H16	4.68	8.62	11.28	13.90	17.59	20.94	23.29	24.25	24.60	24.61	23.86	23.63
	H17	4.31	8.71	11.41	13.89	17.60	21.09	23.62	24.69	24.89	24.74	24.21	23.79
	H18	4.54	8.66	11.50	13.88	17.80	21.29	23.79	24.70	24.72	24.88	24.46	23.58
	H19	4.51	8.58	11.40	14.09	17.31	21.16	24.02	24.83	24.98	25.36	24.99	24.51
	H20	4.61	8.75	11.39	14.06	17.86	21.29	23.95	25.18	25.55	25.46	25.02	24.82
	H21	4.74	8.77	11.48	14.04	17.77	21.43	24.04	25.29	25.68	25.60	25.36	24.74
	H22	4.69	8.98	11.44	14.05	17.93	21.32	24.51	25.39	25.69	25.95	25.47	25.09
	H23	4.71	8.86	11.55	13.80	17.92	21.49	24.20	25.57	25.71	25.93	25.51	25.21
	H24	4.53	8.92	11.48	14.25	17.81	21.57	24.38	25.48	26.16	25.77	25.70	25.31
	H25	4.61	8.83	11.46	14.10	18.12	21.52	24.43	25.69	26.04	25.92	25.47	25.27
	H26	4.56	8.76	11.54	14.16	17.95	21.94	24.51	25.69	26.05	26.19	25.69	25.27
	H27	4.57	8.96	11.57	14.26	17.98	21.96	24.59	25.82	26.18	26.34	26.06	25.67
	H28	4.51	8.77	11.54	14.26	18.04	21.85	24.39	25.86	26.35	26.39	25.98	25.75
	H29	4.86	8.82	11.39	14.45	18.11	21.93	24.57	25.73	26.26	26.03	26.17	25.66
	H30	5.13	9.33	11.58	14.05	18.20	22.22	24.80	25.74	26.18	26.11	25.74	25.42
	R1	4.94	8.81	11.69	14.25	18.02	22.13	24.49	25.90	26.05	26.13	25.86	25.74
	R2	5.65	9.23	11.89	15.00	18.85	22.49	25.06	25.94	26.28	27.09	26.75	25.48
	R3	5.20	9.16	11.73	14.42	18.80	22.42	24.61	25.96	26.48	26.65	26.43	26.15
	R4	5.24	9.01	11.77	14.44	18.52	22.29	24.72	26.88	27.10	26.90	26.83	26.28
	R5	5.28	9.14	11.69	14.47	18.42	22.23	25.06	26.09	26.35	26.75	26.55	26.51
	R6	5.63	9.14	11.67	14.42	18.58	22.29	24.79	26.31	26.73	26.72	26.66	26.55
	R7	5.44	8.76	10.93	13.35	16.87	20.83	22.08	22.51	23.44	26.88	26.64	26.65
平均D 歯数	H3	0.30	0.54	0.68	0.68	0.87	0.99	1.17	1.57	1.66	1.91	1.86	1.93
	H4	0.25	0.53	0.60	0.69	0.78	1.01	1.18	1.29	1.65	1.94	1.91	2.09
	H5	0.25	0.45	0.62	0.66	0.71	0.97	1.02	1.47	1.48	1.98	2.00	1.83
	H6	0.22	0.44	0.60	0.61	0.84	0.90	1.01	1.31	1.55	1.84	1.91	2.05
	H7	0.19	0.38	0.56	0.60	0.76	0.89	1.08	1.50	1.48	1.39	1.58	1.43
	H8	0.14	0.37	0.49	0.58	0.66	0.78	1.14	1.33	1.53	1.33	1.52	1.43
	H9	0.14	0.24	0.44	0.49	0.60	0.69	1.04	1.23	1.54	1.32	1.46	1.38
	H10	0.10	0.22	0.40	0.52	0.55	0.70	0.89	1.23	1.28	1.41	1.50	1.43
	H11	0.07	0.26	0.36	0.45	0.61	0.66	0.95	1.17	1.24	1.11	1.48	1.33
	H12	0.08	0.24	0.42	0.50	0.64	0.74	0.72	1.07	1.30	1.00	0.91	1.19
	H13	0.09	0.19	0.30	0.42	0.50	0.65	0.79	0.97	1.10	0.93	1.06	1.06
	H14	0.07	0.21	0.38	0.46	0.67	0.65	0.81	1.14	1.07	0.75	0.80	0.98
	H15	0.05	0.15	0.31	0.39	0.42	0.73	0.68	0.81	1.07	0.71	0.76	0.87
	H16	0.04	0.12	0.23	0.39	0.43	0.58	0.74	0.81	0.98	0.70	0.73	0.79
	H17	0.06	0.11	0.21	0.34	0.43	0.58	0.78	0.81	0.91	0.82	0.88	0.81
	H18	0.05	0.16	0.22	0.36	0.48	0.61	0.65	0.89	0.95	0.76	0.80	0.99
	H19	0.06	0.13	0.22	0.33	0.49	0.57	0.65	0.98	1.02	0.70	0.74	0.84
	H20	0.04	0.10	0.19	0.25	0.29	0.42	0.48	0.65	0.74	0.56	0.71	0.74
	H21	0.05	0.13	0.16	0.23	0.34	0.38	0.49	0.51	0.64	0.59	0.64	0.66
	H22	0.04	0.11	0.16	0.26	0.26	0.44	0.37	0.54	0.56	0.50	0.54	0.62
	H23	0.03	0.08	0.17	0.19	0.26	0.31	0.40	0.50	0.63	0.59	0.65	0.76
	H24	0.02	0.09	0.14	0.18	0.21	0.31	0.35	0.51	0.45	0.61	0.64	0.72
	H25	0.03	0.07	0.14	0.16	0.19	0.25	0.44	0.40	0.50	0.53	0.62	0.71
	H26	0.02	0.07	0.09	0.14	0.20	0.26	0.32	0.55	0.48	0.43	0.53	0.62
	H27	0.03	0.05	0.08	0.11	0.18	0.21	0.31	0.44	0.49	0.35	0.46	0.58
	H28	0.02	0.05	0.08	0.12	0.13	0.19	0.37	0.35	0.41	0.28	0.36	0.44
	H29	0.04	0.04	0.08	0.08	0.16	0.18	0.32	0.32	0.44	0.49	0.47	0.49
	H30	0.04	0.04	0.06	0.09	0.11	0.12	0.22	0.37	0.43	0.40	0.46	0.50
	R1	0.03	0.05	0.07	0.08	0.12	0.13	0.22	0.32	0.37	0.49	0.61	0.55
	R2	0.01	0.04	0.04	0.06	0.08	0.11	0.19	0.33	0.42	0.47	0.48	0.64
	R3	0.02	0.02	0.05	0.07	0.07	0.08	0.21	0.33	0.34	0.37	0.49	0.57
	R4	0.01	0.03	0.02	0.04	0.08	0.06	0.16	0.26	0.32	0.32	0.41	0.54
	R5	0.01	0.02	0.03	0.04	0.08	0.08	0.17	0.22	0.38	0.37	0.42	0.41
	R6	0.01	0.03	0.03	0.04	0.07	0.06	0.19	0.21	0.21	0.29	0.36	0.28
	R7	0.01	0.03	0.02	0.04	0.07	0.07	0.14	0.26	0.21	0.29	0.39	0.42
平均F 歯数	H3	0.24	0.59	1.16	1.66	2.14	2.47	3.40	3.98	4.90	5.33	6.22	7.41
	H4	0.18	0.70	1.13	1.75	2.22	2.71	3.22	3.87	4.62	5		

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3	
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7	
平均M歯数	H3	0	0.00	0	0.00	0.01	0.01	0.01	0.02	0.03	0.10	0.12	0.12	
	H4	0	0.00	0.00	0.00	0.00	0.01	0.03	0.03	0.04	0.10	0.10	0.11	
	H5	0	0	0.00	0.00	0.00	0.01	0.02	0.03	0.03	0.11	0.10	0.11	
	H6	0	0	0.00	0.00	0.00	0.00	0.02	0.03	0.06	0.09	0.11	0.10	
	H7	0	0	0.00	0.01	0.00	0.01	0.05	0.03	0.04	0.08	0.08	0.11	
	H8	0	0.00	0.00	0.00	0.01	0.01	0.01	0.04	0.04	0.08	0.09	0.08	
	H9	0	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.04	0.07	0.10	0.10	
	H10	0	0.00	0	0.00	0.01	0.01	0.01	0.01	0.03	0.07	0.06	0.11	
	H11	0	0.00	0.00	0	0.00	0.00	0.02	0.02	0.04	0.04	0.08	0.05	
	H12	0	0	0	0.00	0.00	0.00	0.01	0.02	0.03	0.06	0.07	0.07	
	H13	0	0	0	0.00	0.00	0.00	0.02	0.02	0.05	0.05	0.10	0.06	
	H14	0.00	0.00	0	0.00	0.01	0.01	0.02	0.02	0.02	0.04	0.05	0.06	
	H15	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.03	0.04	0.06	0.10	
	H16	0	0	0.00	0.00	0.00	0.01	0.02	0.03	0.02	0.05	0.06	0.08	
	H17	0	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.03	0.06	0.06	0.08	
	H18	0	0.00	0	0.00	0.00	0.00	0.01	0.02	0.03	0.06	0.06	0.08	
	H19	0	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.03	0.05	0.05	0.08	
	H20	0	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.03	0.03	0.05	0.06	
	H21	0	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.06	0.05	0.07	
	H22	0	0	0	0.00	0.00	0.00	0.00	0.01	0.01	0.04	0.06	0.07	
	H23	0	0	0.00	0	0.00	0.00	0.00	0.01	0.01	0.06	0.06	0.09	
	H24	0.00	0	0.00	0.00	0	0.00	0.01	0.01	0.01	0.05	0.05	0.05	
	H25	0	0	0	0	0.00	0	0.00	0.00	0.01	0.02	0.05	0.04	0.06
	H26	0	0.00	0	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.04	0.03	0.04
	H27	0	0	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.03	0.04	0.05	0.05
	H28	0	0.00	0.00	0	0.00	0	0.01	0.01	0.01	0.02	0.02	0.05	0.05
	H29	0	0	0	0	0	0	0.01	0.01	0.02	0.04	0.04	0.04	0.04
	H30	0	0	0	0	0	0.00	0.00	0.00	0.01	0.03	0.04	0.03	0.03
	R1	0	0.00	0	0	0	0	0.00	0	0.00	0.00	0.02	0.02	0.03
	R2	0	0	0	0	0	0	0	0.00	0	0.00	0.03	0.03	0.04
	R3	0	0	0	0	0	0	0	0.00	0	0.00	0.03	0.05	0.06
	R4	0	0	0	0	0	0	0.00	0.00	0.00	0.00	0.03	0.04	0.06
	R5	0	0	0	0	0	0	0.00	0.00	0.00	0.00	0.05	0.03	0.04
	R6	0	0	0	0	0	0	0	0.00	0.00	0.01	0.04	0.07	0.05
	R7	0	0	0	0	0	0.00	0.00	0.01	0.01	0.01	0.05	0.04	0.06
健全歯率	H3	90.17	87.56	84.70	84.72	84.46	85.08	81.99	79.30	75.99	73.75	70.69	66.78	
	H4	92.00	86.73	85.78	84.05	84.59	83.89	82.64	80.45	76.84	73.13	70.85	67.33	
	H5	91.79	88.46	84.59	84.55	84.63	83.98	83.91	81.25	79.13	72.72	69.52	68.22	
	H6	92.87	89.03	85.82	85.07	85.55	84.77	83.50	79.11	78.16	72.79	70.86	67.82	
	H7	93.38	91.00	88.18	87.31	86.91	86.62	84.23	81.02	79.81	77.63	75.27	72.98	
	H8	94.63	91.86	88.92	87.86	87.43	86.94	84.97	82.81	79.24	77.32	73.24	71.07	
	H9	94.69	93.31	89.33	87.98	87.68	86.90	86.09	83.17	79.94	76.88	74.57	71.15	
	H10	95.98	94.19	91.28	89.93	89.44	88.75	86.68	85.47	82.26	79.12	74.70	73.04	
	H11	97.03	94.06	93.08	91.45	90.55	90.35	87.97	84.52	83.05	80.74	76.66	73.66	
	H12	96.68	94.69	92.84	91.66	90.75	90.46	90.00	86.61	82.74	82.56	80.89	76.36	
	H13	96.76	95.55	93.05	92.81	92.28	91.12	90.58	89.49	86.78	83.72	81.18	78.71	
	H14	97.29	95.42	93.84	92.51	92.16	91.72	91.07	89.19	87.74	86.49	83.14	79.87	
	H15	97.94	96.53	94.78	93.72	93.41	91.71	91.71	90.38	88.36	87.02	85.16	81.52	
	H16	98.26	97.36	95.44	94.28	94.26	92.85	91.60	90.55	89.53	88.11	85.26	84.16	
	H17	97.43	97.09	96.60	94.34	94.00	93.19	92.80	91.54	90.30	89.25	86.70	84.88	
	H18	97.34	96.81	96.30	94.66	94.56	93.68	93.42	92.21	90.34	89.38	87.53	84.26	
	H19	97.68	96.68	95.89	95.32	94.07	93.77	93.93	92.31	90.53	90.91	89.32	87.45	
	H20	98.45	97.67	96.44	95.71	95.63	94.52	94.58	93.70	92.69	91.56	89.73	88.47	
	H21	98.12	97.28	96.80	95.95	95.63	94.81	94.82	94.13	93.04	91.93	90.69	88.29	
	H22	98.30	97.15	96.71	95.77	96.17	94.75	95.87	94.36	93.36	92.94	91.34	89.44	
	H23	98.46	98.22	96.86	96.71	96.47	95.53	95.23	94.83	93.26	93.01	91.46	89.88	
	H24	98.67	97.49	97.19	96.45	96.67	95.78	95.99	94.87	94.83	92.66	91.84	90.49	
	H25	98.38	98.00	96.80	96.91	96.72	96.30	96.14	95.59	94.50	92.91	91.21	90.14	
	H26	99.03	98.14	97.92	97.07	96.95	96.73	96.73	95.46	94.48	93.98	91.96	90.40	
	H27	98.73	98.88	98.28	97.49	96.70	97.01	96.72	95.98	95.05	94.52	93.07	91.61	
	H28	99.04	98.48	97.91	97.74	97.66	97.20	96.04	95.92	95.50	94.69	93.30	91.91	
	H29	98.19	98.75	97.79	98.07	97.54	97.40	96.51	95.97	95.31	93.83	92.95	91.68	
	H30	98.77	98.71	98.34	97.84	97.87	97.77	97.40	96.06	95.32	93.62	92.32	91.56	
	R1	98.56	98.66	98.07	98.20	98.03	97.93	97.16	96.51	95.22	93.88	92.69	92.14	
	R2	98.95	98.97	98.50	98.34	98.55	98.13	97.41	96.31	95.69	95.58	94.43	92.87	
	R3	98.61	98.53	98.29	98.12	98.60	98.26	97.42	96.73	96.10	95.63	94.11	93.22	
	R4	99.57	99.22	99.24	98.80	98.30	98.22	97.62	97.17	96.62	96.22	95.31	93.67	
	R5	99.36	99.28	99.06	99.01	98.54	98.35	97.73	96.86	96.02	95.96	95.14	94.59	
	R6	99.41	99.08	99.11	98.85	98.61	98.76	97.63	97.43	96.70	96.21	95.60	95.45	
	R7	99.51	98.86	98.95	98.69	98.75	98.75	97.42	96.31	96.12	96.26	95.16	94.78	
D 歯率	H3	5.45	5.92	5.63	4.45	4.49	4.25	4.61	5.83	6.07	6.84	6.63	6.78	
	H4	4.63	5.76	4.91	4.49	3.99	4.35	4.61	4.85	6.06	7.00	6.84	7.47	
	H5	4.62	4.87	5.13	4.37	3.72	4.21	3.85	5.29	5.14	7.17	7.21	6.59	
	H6													

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7
F 歯率	H3	4.38	6.51	9.67	10.83	11.01	10.64	13.35	14.79	17.85	19.04	22.23	26.01
	H4	3.37	7.49	9.30	11.45	11.40	11.72	12.63	14.60	16.95	19.52	21.93	24.79
	H5	3.59	6.67	10.27	11.07	11.64	11.78	12.16	13.36	15.63	19.71	22.91	24.78
	H6	3.07	6.23	9.27	10.95	10.04	11.29	12.47	15.97	15.95	20.51	21.96	24.64
	H7	3.28	5.13	7.40	8.99	9.28	9.57	11.45	13.43	14.83	17.26	18.96	21.73
	H8	2.77	4.24	7.08	8.43	9.25	9.67	10.61	12.19	15.19	17.62	21.01	23.43
	H9	2.86	4.03	6.95	8.72	9.19	10.04	9.74	12.07	14.19	18.00	19.75	23.46
	H10	2.11	3.28	5.31	6.55	7.65	8.15	9.83	9.95	13.04	15.53	19.64	21.39
	H11	1.65	3.16	3.92	5.50	6.23	6.76	8.21	11.05	12.30	15.04	17.65	21.31
	H12	1.82	2.63	3.62	5.04	5.79	6.25	7.17	9.35	12.42	13.59	15.58	19.09
	H13	1.53	2.37	4.48	4.40	5.02	6.00	6.24	6.83	9.03	12.77	14.67	17.26
	H14	1.26	2.22	2.95	4.34	4.28	5.35	5.65	6.48	8.30	10.69	13.81	16.39
	H15	0.99	1.82	2.57	3.57	4.34	5.07	5.57	6.56	7.63	10.28	11.92	15.02
	H16	0.83	1.24	2.58	3.10	3.40	4.55	5.44	6.34	6.82	9.20	11.91	12.73
	H17	1.17	1.64	1.64	3.33	3.68	4.23	4.08	5.37	6.30	7.56	9.91	11.96
	H18	1.48	1.44	1.83	2.87	2.90	3.64	3.98	4.40	6.10	7.68	9.37	11.92
	H19	1.11	1.84	2.28	2.45	3.25	3.66	3.52	4.03	5.66	6.37	7.86	9.24
	H20	0.79	1.16	1.96	2.59	2.82	3.59	3.52	3.85	4.52	6.30	7.58	8.65
	H21	0.90	1.33	1.78	2.47	2.50	3.49	3.22	3.95	4.63	5.75	6.83	9.08
	H22	0.86	1.62	1.95	2.45	2.40	3.30	2.67	3.61	4.56	5.11	6.52	8.10
	H23	0.92	0.92	1.67	1.94	2.14	3.07	3.17	3.27	4.44	4.67	6.00	7.08
	H24	0.81	1.50	1.62	2.33	2.21	2.84	2.59	3.20	3.49	4.97	5.67	6.74
	H25	1.00	1.21	1.99	2.02	2.24	2.57	2.12	2.89	3.61	5.01	6.44	7.12
	H26	0.61	1.08	1.32	1.96	1.97	2.10	1.96	2.47	3.71	4.35	6.01	7.28
	H27	0.70	0.61	1.07	1.74	2.35	2.05	2.04	2.34	3.13	4.13	5.15	6.16
	H28	0.57	0.90	1.40	1.41	1.61	1.97	2.45	2.74	2.96	4.22	5.34	6.35
	H29	1.04	0.84	1.51	1.37	1.62	1.79	2.22	2.80	3.03	4.27	5.22	6.44
	H30	0.48	0.85	1.15	1.56	1.52	1.71	1.72	2.56	3.11	4.84	5.87	6.55
	R1	0.90	0.73	1.31	1.28	1.31	1.49	1.96	2.31	3.43	4.28	5.05	5.79
	R2	0.85	0.62	1.16	1.25	1.03	1.41	1.84	2.48	2.78	2.66	3.75	4.65
	R3	1.07	1.26	1.32	1.39	1.03	1.41	1.73	2.03	2.65	2.94	3.96	4.54
	R4	0.29	0.44	0.57	0.95	1.29	1.50	1.74	1.89	2.24	2.52	3.08	4.19
	R5	0.45	0.53	0.66	0.71	1.03	1.28	1.60	2.32	2.59	2.53	3.24	3.79
	R6	0.45	0.57	0.63	0.90	1.01	0.98	1.60	1.80	2.53	2.61	2.84	3.35
	R7	0.35	0.79	0.84	1.02	0.84	0.93	1.93	2.53	2.97	2.53	3.30	3.50
M歯率	H3	0.00	0.01	0.00	0.01	0.04	0.03	0.05	0.09	0.09	0.37	0.45	0.42
	H4	0.00	0.01	0.01	0.01	0.02	0.03	0.12	0.10	0.14	0.35	0.37	0.40
	H5	0.00	0.00	0.01	0.00	0.01	0.03	0.07	0.10	0.10	0.40	0.37	0.41
	H6	0.00	0.00	0.01	0.02	0.02	0.01	0.08	0.10	0.21	0.31	0.38	0.36
	H7	0.00	0.00	0.01	0.03	0.02	0.03	0.18	0.09	0.14	0.27	0.29	0.38
	H8	0.00	0.00	0.01	0.02	0.03	0.04	0.04	0.13	0.14	0.28	0.31	0.28
	H9	0.00	0.01	0.01	0.02	0.02	0.05	0.05	0.07	0.17	0.27	0.37	0.35
	H10	0.00	0.02	0.00	0.01	0.03	0.04	0.02	0.05	0.09	0.24	0.23	0.40
	H11	0.00	0.00	0.00	0.00	0.00	0.01	0.07	0.09	0.15	0.16	0.29	0.17
	H12	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.08	0.10	0.23	0.25	0.24
	H13	0.00	0.00	0.00	0.02	0.01	0.01	0.08	0.08	0.18	0.18	0.35	0.22
	H14	0.01	0.01	0.00	0.02	0.04	0.02	0.09	0.09	0.08	0.14	0.18	0.22
	H15	0.02	0.01	0.01	0.02	0.01	0.02	0.06	0.09	0.10	0.15	0.20	0.37
	H16	0.00	0.00	0.01	0.01	0.02	0.03	0.07	0.11	0.09	0.19	0.22	0.30
	H17	0.00	0.01	0.01	0.01	0.01	0.01	0.06	0.07	0.11	0.22	0.22	0.27
	H18	0.00	0.00	0.00	0.00	0.01	0.01	0.04	0.07	0.10	0.21	0.23	0.27
	H19	0.00	0.00	0.01	0.01	0.02	0.04	0.03	0.04	0.09	0.19	0.17	0.29
	H20	0.00	0.00	0.00	0.01	0.01	0.02	0.02	0.02	0.10	0.12	0.16	0.22
	H21	0.00	0.00	0.04	0.00	0.02	0.01	0.01	0.04	0.04	0.21	0.18	0.26
	H22	0.00	0.00	0.00	0.01	0.00	0.02	0.01	0.02	0.04	0.14	0.22	0.26
	H23	0.00	0.00	0.01	0.00	0.01	0.00	0.01	0.02	0.03	0.22	0.21	0.33
	H24	0.03	0.00	0.01	0.00	0.00	0.01	0.03	0.04	0.05	0.17	0.19	0.18
	H25	0.00	0.00	0.00	0.01	0.00	0.01	0.02	0.03	0.06	0.18	0.13	0.21
	H26	0.00	0.02	0.00	0.00	0.00	0.02	0.05	0.02	0.05	0.13	0.11	0.13
	H27	0.00	0.00	0.00	0.01	0.00	0.01	0.04	0.02	0.03	0.10	0.14	0.17
	H28	0.00	0.01	0.01	0.00	0.00	0.00	0.04	0.04	0.03	0.07	0.07	0.17
	H29	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.06	0.14	0.15	0.13
	H30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.11	0.15	0.10
	R1	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.09	0.09	0.12
	R2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.13
	R3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.19	0.21
	R4	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.11	0.14	0.20
	R5	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.19	0.12	0.15
	R6	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.03	0.14	0.26	0.18
	R7	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.03	0.05	0.19	0.15
C0保有者率	H7	11.94	17.46	19.95	15.05	11.99	15.76	18.33	28.75	19.34	9.57	9.23	9.77
	H8	12.02	16.17	18.44	15.90	15.05	18.48	16.87	19.09	17.91	14.71	14.08	13.34
	H9	9.71	14.43	16.73	17.93	16.11	19.27	18.01	20.24	23.10	15.91	15.29	15.35
	H10	9.24	15.69	16.83	21.92	18.68	20.95	22.72	25.88	25.46	19.15	16.76	17.12
	H11	7.93	15.54	18.88	19.15	20.85	18.80	27.23	32.72	24.92	15.59</		

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7
G0要観察者率	H7	22.05	25.57	31.31	26.35	29.26	30.06	28.84	35.86	31.84	24.33	26.27	26.63
	H8	15.41	26.34	29.66	31.00	27.14	31.53	35.31	33.87	33.23	29.93	30.64	31.92
	H9	18.88	18.93	26.04	23.89	25.86	27.75	27.82	23.96	26.07	29.90	28.18	30.75
	H10	19.15	24.90	25.92	31.64	30.11	29.25	24.79	22.12	26.45	28.99	31.00	26.71
	H11	11.98	20.30	25.12	26.68	29.56	27.62	28.20	32.11	28.27	25.37	29.12	32.12
	H12	15.25	20.03	27.15	27.22	26.79	26.12	25.92	23.42	23.39	29.48	28.40	29.96
	H13	13.94	21.52	26.42	22.90	27.25	28.15	27.73	33.37	25.07	32.72	30.58	28.52
	H14	16.57	22.04	22.07	24.43	29.05	33.61	39.08	35.46	35.08	25.37	28.18	27.01
	H15	12.15	18.37	25.40	27.56	29.57	33.07	28.01	29.29	34.94	26.89	26.56	24.90
	H16	14.46	22.95	19.84	23.75	22.64	26.28	37.73	32.98	34.90	27.33	24.57	27.60
	H17	13.31	22.27	24.35	23.98	24.47	28.87	31.58	34.01	33.44	24.01	23.78	23.00
	H18	14.49	20.99	21.68	22.28	26.24	30.57	30.29	31.21	32.23	25.97	26.29	26.05
	H19	9.56	21.21	21.00	24.04	25.12	27.76	30.43	28.98	29.15	25.95	22.67	25.60
	H20	9.02	16.76	23.26	24.60	26.44	28.19	27.46	31.03	29.43	31.83	30.12	30.51
	H21	6.47	12.72	17.53	21.68	21.30	19.80	21.90	26.59	26.69	19.65	19.50	22.60
	H22	4.29	10.28	10.90	20.54	19.67	21.11	21.50	26.56	24.60	25.18	22.94	25.59
	H23	4.56	9.85	11.99	13.06	16.87	17.12	20.40	25.75	26.36	25.22	24.18	23.47
	H24	6.76	10.44	12.99	17.61	17.83	19.96	21.21	25.78	25.02	22.96	26.40	25.97
	H25	4.97	14.15	14.54	18.11	20.60	19.65	21.48	23.35	19.55	23.76	29.91	25.53
	H26	5.58	7.97	12.88	14.50	17.74	19.04	18.68	22.77	22.95	22.54	24.24	22.80
	H27	4.35	7.09	9.88	11.66	14.27	15.41	24.23	22.01	23.17	20.75	23.00	24.56
	H28	4.35	6.45	11.34	14.03	16.78	15.27	25.53	20.98	21.05	19.31	22.85	25.02
	H29	4.28	7.73	11.78	14.22	13.09	13.78	22.90	20.96	18.87	18.69	19.89	19.14
	H30	3.56	9.88	13.59	16.48	16.60	13.73	16.26	17.28	16.93	18.82	19.63	18.62
	R1	3.97	8.39	11.56	12.17	13.92	13.33	20.07	20.98	22.78	21.52	23.01	20.31
	R2	4.12	9.48	9.93	15.05	13.86	12.38	17.59	20.00	17.19	24.15	22.77	20.11
	R3	4.54	7.11	11.86	13.01	12.61	12.63	16.70	20.62	21.23	18.42	18.85	16.13
	R4	3.42	8.56	13.14	14.61	17.49	16.34	17.84	22.65	19.93	20.39	16.02	18.56
	R5	6.35	6.18	11.82	11.66	15.82	14.86	15.91	19.68	22.86	21.27	19.37	16.13
	R6	6.86	8.35	10.39	12.75	13.63	13.02	20.66	19.66	18.21	18.27	18.30	16.52
	R7	6.22	9.72	11.30	14.03	14.62	14.60	15.23	15.31	19.21	17.13	17.35	15.74
G 要治療者率	H7	1.69	2.48	5.68	4.29	4.83	6.68	8.06	12.88	11.13	8.17	8.35	7.23
	H8	2.09	6.13	6.92	6.72	6.52	6.58	9.52	9.51	10.77	14.10	18.21	12.99
	H9	3.08	5.34	5.48	4.98	6.41	6.17	13.14	9.51	10.21	9.12	9.77	9.43
	H10	1.98	5.58	5.08	4.14	4.76	7.04	9.75	10.12	9.38	11.77	11.47	10.17
	H11	1.73	3.64	4.87	4.08	8.32	5.40	9.12	10.12	12.89	12.16	10.64	9.68
	H12	2.51	4.03	7.99	6.52	8.73	6.41	17.91	19.44	16.09	10.59	8.81	10.11
	H13	1.70	3.07	3.33	4.27	4.65	5.13	9.96	8.12	10.59	10.46	10.51	10.88
	H14	1.77	3.21	3.88	4.99	7.00	6.47	6.73	6.51	9.09	7.82	9.11	9.49
	H15	2.46	3.26	3.74	4.97	5.25	5.82	6.29	7.76	9.37	6.82	7.22	9.18
	H16	2.25	5.06	2.41	4.52	5.41	7.53	9.44	7.34	8.52	9.70	8.76	10.23
	H17	1.66	3.89	3.95	6.18	7.06	6.99	5.76	5.98	7.39	10.33	12.63	10.27
	H18	2.25	3.38	4.03	5.39	5.39	6.62	6.02	4.53	6.29	8.27	9.27	8.87
	H19	1.04	2.81	2.91	4.95	6.38	7.28	4.70	5.41	7.68	7.91	7.17	10.14
	H20	1.36	2.49	2.62	5.22	6.62	6.01	3.35	7.41	6.89	6.85	8.65	8.23
	H21	1.57	1.98	2.67	4.67	3.26	5.86	3.94	5.07	7.15	5.51	5.42	4.07
	H22	1.02	1.57	2.47	3.18	5.28	3.35	3.24	4.01	3.26	4.47	5.97	5.52
	H23	0.95	1.07	1.69	3.36	4.51	4.10	2.46	3.42	3.46	4.74	5.80	7.55
	H24	0.81	1.27	1.93	2.95	3.78	4.53	2.86	4.20	3.59	4.65	5.38	5.54
	H25	0.26	1.27	1.24	3.20	3.48	3.51	2.46	2.83	3.15	5.08	5.01	5.64
	H26	1.00	0.99	1.20	1.51	2.07	2.42	2.28	3.27	2.44	8.47	7.94	6.44
	H27	0.39	0.99	0.73	1.86	2.33	3.29	3.34	2.36	3.90	6.17	5.70	4.45
	H28	0.17	0.39	0.86	1.52	2.57	2.83	2.42	3.14	2.30	4.15	5.90	5.63
	H29	0.44	0.51	1.14	1.60	2.05	3.98	1.90	1.73	1.84	9.27	9.08	8.05
	H30	0.13	0.34	0.91	1.04	2.08	1.63	0.95	2.30	2.09	7.94	8.06	7.43
	R1	0.13	0.56	1.49	1.52	2.60	2.59	1.99	2.01	1.79	8.09	7.24	6.81
	R2	0.00	0.66	0.56	0.99	1.27	1.41	1.94	2.65	2.22	3.89	3.29	8.32
	R3	0.07	0.78	1.32	1.28	1.86	2.20	1.67	1.98	2.28	3.39	3.49	2.50
	R4	0.21	0.91	1.47	1.74	1.70	2.20	1.47	2.16	2.56	3.11	2.99	3.25
	R5	0.28	0.65	1.42	2.15	3.63	1.84	1.89	1.54	2.98	2.48	1.76	1.71
	R6	0.56	1.01	1.91	2.38	3.12	4.24	1.51	2.53	1.48	4.13	2.34	2.16
	R7	0.76	0.96	1.63	2.15	3.30	3.94	1.73	1.60	1.98	2.10	3.00	2.14
不正咬合者率 (顎関節、 歯列・咬合 不正者率)	H7	3.34	4.87	6.00	6.71	6.93	7.72	11.75	12.74	12.60	5.21	7.78	6.99
	H8	3.22	4.08	4.73	4.63	6.84	8.19	8.49	8.83	8.90	6.46	8.05	6.04
	H9	4.04	6.13	5.10	5.47	5.79	6.85	10.70	7.01	7.46	7.59	7.21	7.65
	H10	1.81	3.49	3.14	3.30	3.76	3.97	9.59	7.69	7.47	7.77	6.49	7.57
	H11	1.37	2.95	3.19	3.04	3.12	3.13	3.99	4.75	5.59	6.29	8.79	9.11
	H12	2.46	3.07	3.23	3.23	3.92	3.49	5.71	6.30	7.44	8.04	5.99	6.32
	H13	2.20	1.56	2.59	3.32	3.62	3.93	7.57	5.36	6.47	6.02	6.36	6.57
	H14	2.91	3.05	3.66	4.20	3.68	4.35	7.45	5.17	6.88	4.32	5.74	6.16
	H15	1.71	2.47	2.59	2.89	3.99	3.95	6.25	5.25	6.86	5.51	3.61	5.47
	H16	1.36	1.73	1.80	2.60	3.13	2.95	8.00	7.13	7.62	5.80	5.87	5.68
	H17	2.12	1.78	2.69	3.34	4.24	3.37	6.26	7.22	6.73	6.80	5.90	6.75
	H18	1.54	1.91	2.76	1.73	2.94	4.16	3.50	4.12	4.68	5.26	3.79	4.67
	H19	1.21	2.45	3.28	3.12	3.25	4.01	1.74	1.51	3.15	4.18	4.02	